


WHAT IS CLAIMED IS:


1. A compound represented by the general formula:



5 wherein  $X_1$  represents a nitrogen atom or a group represented by the formula  $-CR_{10}=$ ,  $X_2$  represents a nitrogen atom or a group represented by the formula  $-CR_{11}=$ , and  $X_1$  and  $X_2$  do not represent a nitrogen atom at the same time;

10 Y represents an oxygen atom, a sulfur atom, a sulfinyl group, a sulfonyl group, or a group represented by the formula  $-NR_Y-$  (wherein  $R_Y$  represents a hydrogen atom or a  $C_{1-6}$  alkyl group);


$R_1$  represents an optionally substituted  $C_{1-6}$  alkoxy group, an optionally substituted  $C_{6-10}$  aryloxy group, a group represented by the formula  $-NR_{12a}R_{12b}$ , a group represented by the formula:




(wherein  $Y_{A1}$  and  $Y_{A2}$  each independently represent a group represented by the formula  $-A_{10}-A_{11}-A_{12}$  (wherein  $A_{10}$  represents a single bond or an optionally

20

substituted C1-6 alkylene; A<sub>11</sub> represents a single bond,  
 an oxygen atom, a carbonyl group or a sulfonyl group;  
 and A<sub>12</sub> represents a hydrogen atom, a C<sub>1-6</sub> alkyl group,  
 a C<sub>2-6</sub> alkenyl group, a C<sub>2-6</sub> alkynyl group, a C<sub>3-8</sub>  
 5 cycloalkyl group, a C<sub>6-10</sub> aryl group, a 5- to 10-  
 membered heteroaryl group, a group represented by the  
 formula -NR<sub>A10</sub>R<sub>A11</sub>, a group represented by the formula -  
 OR<sub>A12</sub> (wherein R<sub>A10</sub>, R<sub>A11</sub> and R<sub>A12</sub> each independently  
 represent a hydrogen atom, a C1-6 alkyl group or C<sub>3-8</sub>  
 10 cycloalkyl group) or a group represented by the  
 formula:



(wherein e represents 1 or 2; Z represents an oxygen  
 atom, a group represented by the formula -CR<sub>X7</sub>R<sub>X8</sub>- or a  
 15 group represented by the formula -NR<sub>X9</sub>-; R<sub>X7</sub>, R<sub>X8</sub> and R<sub>X9</sub>  
 each independently represent a hydrogen atom, a  
 hydroxyl group or a C<sub>1-6</sub> alkyl group)); and Y<sub>A3</sub>  
 represents a hydrogen atom or an optionally substituted  
 C<sub>1-6</sub> alkyl group) or a group represented by the formula:




20 (wherein T1 represents an optionally substituted 5- to  
 10- membered aromatic heterocycle which may have X in  
 the ring or an optionally substituted 3- to 10-  
 membered heterocycle which may have X in the ring);

$R_3$ ,  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ ,  $R_8$ ,  $R_{10}$  and  $R_{11}$  each independently represent a hydrogen atom, a halogen atom, a cyano group, an optionally substituted  $C_{1-6}$  alkyl group, an optionally substituted  $C_{2-6}$  alkenyl group, an optionally substituted  $C_{2-6}$  alkynyl group, an optionally substituted  $C_{3-8}$  cycloalkyl group, a group represented by the formula  $-CO-R_{13}$ , a group represented by the formula  $-NR_{14}-CO-R_{13}$ , a group represented by the formula  $-SO_2-R_{15}$ , a group represented by the formula  $-NR_{14}-SO_2-R_{15}$ , or a group represented by the formula  $-NR_{16a}R_{16b}$ ;  $R_9$  represents a group represented by the formula  $-NR_{16a}R_{16b}$  or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);  $R_{12a}$  and  $R_{12b}$  each independently represent a hydrogen atom, an optionally substituted  $C_{1-6}$  alkyl group, an optionally substituted  $C_{3-6}$  alkenyl group, an optionally substituted  $C_{3-6}$  alkynyl group, an optionally substituted  $C_{3-8}$  cycloalkyl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted  $C_{1-6}$  alkoxy group;  $R_{13}$  represents a hydrogen atom, an optionally substituted  $C_{1-6}$  alkyl group, an optionally substituted

C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, an optionally substituted C<sub>1-6</sub> alkoxy group, an optionally substituted C<sub>6-10</sub> aryloxy group, a group represented by the formula -NR<sub>12a</sub>R<sub>12b</sub>, or a group represented by the formula:




(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);

R<sub>2</sub> and R<sub>14</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, or a group represented by the formula -CO-R<sub>13</sub>;

R<sub>15</sub> represents an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, or an optionally


substituted 3- to 10- membered heterocyclic group;  
 $R_{16a}$  and  $R_{16b}$  each independently represent a hydrogen atom, an optionally substituted  $C_{1-6}$  alkyl group, an optionally substituted  $C_{3-6}$  alkenyl group, an optionally substituted  $C_{3-6}$  alkynyl group, an optionally substituted  $C_{3-8}$  cycloalkyl group, an optionally substituted  $C_{6-10}$  aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted  $C_{1-6}$  alkoxy group; and  
 $X$  represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula  $-CR_{X1}R_{X2}-$ , or a group represented by the formula  $-NR_{X3}-$  (wherein  $R_{X1}$ ,  $R_{X2}$  and  $R_{X3}$  each independently represent a hydrogen atom or a group represented by the formula  $-A_1-A_2-A_3$  (wherein  $A_1$  and  $A_2$  each independently represent a single bond, an optionally substituted  $C_{1-6}$  alkylene group or a carbonyl group; and  $A_3$  represents a hydrogen atom, a  $C_{3-8}$  cycloalkyl group, a group represented by the formula  $-NR_{A1}R_{A2}$ , or the formula  $-OR_{A3}$  (wherein,  $R_{A1}$ ,  $R_{A2}$  and  $R_{A3}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group), or an optionally substituted group represented by the formula:



(wherein  $a$  represents 1 or 2))),

a salt thereof, or a hydrate of the foregoing.

2. A compound represented by the general formula:



5 wherein  $X_1$ ,  $X_2$ , Y,  $R_1$ ,  $R_2$ ,  $R_3$ ,  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ ,  $R_8$  and  $R_9$  represent the same definitions as  $X_1$ ,  $X_2$ , Y,  $R_1$ ,  $R_2$ ,  $R_3$ ,  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ ,  $R_8$  and  $R_9$  in claim 1, respectively, a salt thereof, or a hydrate of the foregoing.

10 3. A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom, a group represented by the formula -NH-, or a group represented by the formula -N(CH<sub>3</sub>)-.

15 4. A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom.

20 5. A compound according to any of claims 1 to 4, a salt of the compound, or a hydrate of the foregoing, wherein one of  $X_1$  and  $X_2$  represents a group represented by the formula -CH= and the other represents a nitrogen atom.

6. A compound according to any of claims 1 to 4,


a salt of the compound, or a hydrate of the foregoing,  
wherein both  $X_1$  and  $X_2$  represent a group represented by  
the formula  $-CH=$ .

7. A compound according to any of claims 1 to 6,  
5 a salt of the compound, or a hydrate of the foregoing,  
wherein  $R_3$ ,  $R_4$ ,  $R_5$ ,  $R_6$  and  $R_8$  each represent a hydrogen  
atom, and  $R_7$  represents a hydrogen atom, a halogen atom  
or an optionally substituted  $C_{1-6}$  alkyl group.

8. A compound according to any of claims 1 to 7,  
10 a salt of the compound, or a hydrate of the foregoing,  
wherein  $R_9$  represents a group represented by the  
formula  $-NHR_{17}$  (wherein  $R_{17}$  represents an optionally  
substituted  $C_{1-6}$  alkyl group, a  $C_{3-6}$  alkynyl group, a  $C_{3-8}$   
cycloalkyl group, an optionally substituted  $C_{6-10}$  aryl  
15 group or an optionally substituted 5- to 10- membered  
heteroaryl group).

9. A compound according to any of claims 1 to 7,  
a salt of the compound, or a hydrate of the foregoing,  
wherein  $R_9$  represents a group represented by the  
20 formula  $-NR_{18a}R_{18b}$  (wherein  $R_{18a}$  and  $R_{18b}$  each  
independently represent a  $C_{1-6}$  alkyl group).

10. A compound according to any of claims 1 to 7,  
a salt of the compound, or a hydrate of the foregoing,  
wherein  $R_9$  represents a group represented by the  
25 formula:



(wherein  $b_1$  represents 1 or 2; X represents the same definition as X in claim 1).

11. A compound according to any of claims 1 to 7,  
 5 a salt of the compound, or a hydrate of the foregoing,  
 wherein  $R_9$  represents a group represented by the  
 formula  $-NHR_{19}$  (wherein  $R_{19}$  represents a  $C_{1-6}$  alkyl group,  
 a  $C_{3-6}$  alkynyl group, a  $C_{3-8}$  cycloalkyl group or a  $C_{6-10}$   
 aryl group).

10 12. A compound according to any of claims 1 to  
 11, a salt of the compound, or a hydrate of the  
 foregoing, wherein  $R_3$ ,  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$  and  $R_8$  each  
 represent a hydrogen atom.


13. A compound according to any of claims 1 to  
 15 12, a salt of the compound, or a hydrate of the  
 foregoing, wherein  $R_2$  represents a hydrogen atom.

14. A compound according to any of claims 1 to  
 13, a salt of the compound, or a hydrate of the  
 foregoing, wherein  $R_9$  represents a group represented by  
 20 the formula  $-NHR_{20}$  (wherein  $R_{20}$  represents a methyl  
 group, an ethyl group or a cyclopropyl group).

15. A compound according to any of claims 1 to  
 13, a salt of the compound, or a hydrate of the  
 foregoing, wherein  $R_9$  represents a group represented by  
 25 the formula  $-NH(CH_3)$ .




16. A compound according to any of claims 1 to 15, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a further optionally substituted group represented by the formula:



(wherein  $b_2$  represents 0, 1 or 2; and X represents the same definition as X in claim 1).


17. A compound according to any of claims 1 to 16, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formula:



(wherein X represents the same definition as X in claim 1).

15 18. A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents an oxygen atom.


19. A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein  $R_{X4}$  represents a hydrogen atom or a group

represented by the formula  $-A_4-A_5-A_6$  (wherein  $A_4$  and  $A_5$  each independently represent a single bond, an optionally substituted  $C_{1-6}$  alkylene or a carbonyl group; and  $A_6$  represents a hydrogen atom, a  $C_{3-8}$  cycloalkyl group or a group represented by the formula  $-NR_{A4}R_{A5}$  or the formula  $-OR_{A6}$  (wherein  $R_{A4}$ ,  $R_{A5}$  and  $R_{A6}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group))).

20. A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein  $R_{X5}$  and  $R_{X6}$  each independently represent a hydrogen atom or a group represented by the formula  $-A_7-A_8-A_9$  (wherein  $A_7$  and  $A_8$  each independently represent a single bond, an optionally substituted  $C_{1-6}$  alkylene group or a carbonyl group; and  $A_9$  represents a hydrogen atom, a  $C_{3-8}$  cycloalkyl group, a group represented by the formula  $-NR_{A7}R_{A8}$ , or the formula  $-OR_{A9}$  (wherein  $R_{A7}$ ,  $R_{A8}$ , and  $R_{A9}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group), or a group represented by the formula:



(wherein  $c_1$  represents 0, 1 or 2))).


21. A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of  $R_{X5}$  and  $R_{X6}$  in the formula (VI) represents a hydroxyl group and the other represents a hydrogen atom or a  $C_{1-6}$  alkyl group.

22. A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of  $R_{X5}$  or  $R_{X6}$  in the formula (VI) represents a hydrogen atom and the other represents a group represented by the formula:




(wherein  $c_2$  represents 1 or 2).

23. A compound according to any of claims 1 to 16, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formula:




(wherein  $R_{X51}$  and  $R_{X61}$  each independently represent a hydrogen atom or a group represented by the formula -  $A_{71}-A_{81}-A_{91}$  (wherein  $A_{71}$  and  $A_{81}$  each independently represent a single bond, an optionally substituted  $C_{1-6}$  alkylene group or a carbonyl group; and  $A_{91}$  represents

a hydrogen atom, a C<sub>3-8</sub> cycloalkyl group, a group represented by the formula -NR<sub>A71</sub>R<sub>A81</sub>, or the formula -OR<sub>A91</sub> (wherein R<sub>A71</sub>, R<sub>A81</sub>, and R<sub>A91</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl group), or a group represented by the formula:




(wherein c<sub>11</sub> represents 0, 1 or 2)).

24. A compound according to any of claims 1 to 15, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>1</sub> represents a group represented by the formula:




(wherein Y<sub>A1</sub> and Y<sub>A2</sub> each independently represent a group represented by the formula -A<sub>10</sub>-A<sub>11</sub>-A<sub>12</sub> (wherein A<sub>10</sub> represents a single bond or an optionally substituted C<sub>1-6</sub> alkylene group; A<sub>11</sub> represents a single bond, an oxygen atom, a carbonyl group, or a sulfonyl group; and A<sub>12</sub> represents a hydrogen atom, a C<sub>1-6</sub> alkyl group, a C<sub>2-6</sub> alkenyl group, a C<sub>2-6</sub> alkynyl group, a C<sub>3-8</sub> cycloalkyl group, a C<sub>6-10</sub> aryl group, a 5- to 10-membered heteroaryl group, a group represented by the formula -NR<sub>A10</sub>R<sub>A11</sub>, or the formula -OR<sub>A12</sub> (wherein, R<sub>A10</sub>, R<sub>A11</sub> and R<sub>A12</sub> each independently represent a hydrogen atom, a C<sub>1-6</sub> alkyl group or a C<sub>3-8</sub> cycloalkyl group), or

a group represented by the formula:



(wherein e represents 1 or 2; and Z represents an oxygen atom or a group represented by the formula -  
 5 CR<sub>X7</sub>R<sub>X8</sub>- or the formula -NR<sub>X9</sub>- (wherein R<sub>X7</sub>, R<sub>X8</sub> and R<sub>X9</sub> each independently represent a hydrogen atom, a hydroxyl group or a C<sub>1-6</sub> alkyl group)); and Y<sub>A3</sub> represents a hydrogen atom or an optionally substituted C<sub>1-6</sub> alkyl group).


10 25. A compound according to claim 24, a salt of the compound, or a hydrate of the foregoing, wherein one of Y<sub>A1</sub> and Y<sub>A2</sub> in the formula (VIII) represents a hydrogen atom and the other represents a group represented by the formula -(CH<sub>2</sub>)<sub>2</sub>-A<sub>13</sub>-A<sub>14</sub> (wherein A<sub>13</sub>  
 15 represents a single bond, a carbonyl group or a sulfonyl group; and A<sub>14</sub> represents a C<sub>1-6</sub> alkyl group, a group represented by the formula -NR<sub>A13</sub>R<sub>A14</sub> (wherein R<sub>A13</sub> and R<sub>A14</sub> each independently represent a hydrogen atom, a C<sub>1-6</sub> alkyl group or a C<sub>3-8</sub> cycloalkyl group), or a group  
 20 represented by the formula:




(wherein e and Z represent the same definitions as e and Z in claim 24, respectively)); and Y<sub>A3</sub> in the formula (VIII) represents a hydrogen atom.




foregoing, wherein  $R_1$  represents a group represented by the formulas:




28. A compound according to any of claims 1 to 5  
15, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formulas:



29. A compound according to any of claims 1 to 10  
15, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formulas:




30. A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein the compound is represented by the general formula:



5

(wherein  $R_1$  represents a group represented by the formulas:




(each of the foregoing members being optionally substituted with a group selected from Substituent Group Beta,

10



wherein Substituent Group Beta is a group consisting of a hydroxyl group, a C<sub>1-6</sub> alkyl group, a C<sub>3-8</sub> cycloalkyl group, and a group represented by the formulas:



5 (wherein R<sub>N1</sub> and R<sub>N2</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl group)); and R<sub>9</sub> represents a group represented by the formula -NHR<sub>20</sub> (wherein R<sub>20</sub> represents a methyl group, an ethyl group or a cyclopropyl group)).

10 31. A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

15 (1) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyrimidyl)oxy-1H-indolecarboxamide;

(2) 5-(6-(3-(3-diethylaminopropylamino)ureido)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

20 (3) 5-(6-((4-hydroxypiperidin-1-yl)carbonyl)amino)-pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(4) 5-(6-((4-pyrrolidin-1-yl)piperidin-1-

yl)carbonylamino)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(5) 5-(2-(3-((1R)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(6) 5-(2-(3-((1S)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(7) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(8) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(9) 5-(2-(3-((1S)-1-carbamoylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(10) 5-(2-(3-((1S)-1-carbamoyl-3-methylbutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(11) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(12) 5-(2-(3-cyclopropylcarbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(13) 5-(2-(3-((1S)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

- (14) 5-(2-(3-((1R)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (15) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)-1,5-pentanedicarboxylic acid diamide;
- (16) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)succinamide;
- (17) 5-(2-(3-((1S)-1-cyclopropylcarbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (18) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (19) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (20) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (21) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (22) 5-(2-(3-((1S)-1-hydroxymethyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

- (23) 5-(2-(3-((1S)-1-hydroxymethyl-2-(morpholin-4-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (24) 5-(2-(3-(2-cyclopropylcarbamoyl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (25) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (26) 5-(2-(3-(3-(4-hydroxy-4-methylpiperidin-1-yl)-3-oxopropyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (27) N1-ethyl-5-(2-((2-ethoxyethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (28) N1-methyl-5-(2-((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (29) N1-methyl-5-(2-((3-(diethylamino)propylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (30) N1-methyl-5-(2-((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (31) N1-methyl-5-(2-((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-

indolecarboxamide;

(32) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

5 (33) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(34) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(35) 5-(2-(3-(3-(diethylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(36) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(37) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(38) N1-methyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

20 (39) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(40) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

25 (41) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-

carboxylic acid methylamide;

(42) N1-methyl-5-(2-((4-(1-hydroxy-1-methylethyl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

5 (43) 5-(2-(((4-(3-methylcarbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(44) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-

10 carboxylic acid methylamide;

(45) 5-(2-((4-((pyrrolidin-1-yl)carbonyl)piperidin-1-yl)carbonylamino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(46) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

15 (47) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

20 (48) N1-methyl-5-(2-((4-ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(49) N1-methyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(50) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (51) N1-methyl-5-(2-((4-(2-dimethylaminoacetyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (52) N1-methyl-5-(2-((4-cyclohexylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 5 (53) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (54) N1-methyl-5-(2-((1,1-dioxothiomorpholin-4-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-
- 10 indolecarboxamide;
- (55) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (56) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-
- 15 carboxylic acid ethylamide;
- (57) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- 20 (58) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (59) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- 25 (60) N1-ethyl-5-(2-(((1-methyl-4-

piperidyl)methyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(61) N1-ethyl-5-(2-((2-(diethylamino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(62) N1-ethyl-5-(2-((2-(morpholin-4-yl)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(63) N1-ethyl-5-(2-((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(64) N1-methyl-5-(2-((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(65) N1-ethyl-5-(2-((3-(diethylamino)propylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(66) N1-ethyl-5-(2-((3-(morpholin-4-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-

indolecarboxamide;

(67) N1-ethyl-5-(2-((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(68) N1-cyclopropyl-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;



- (69) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- 5 (70) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (71) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- 10 (72) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (73) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- 15 (74) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (75) N1-phenyl-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 20 (76) N1-phenyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 25 (77) N1-ethyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-

indolecarboxamide;

(78) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;

5 (79) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(80) N1-ethyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(81) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;

(82) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;

(83) N1-ethyl-5-(2-((1,1-dioxothiomorpholin-4-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-

15 indolecarboxamide;

(84) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(85) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-

20 indolecarboxamide;

(86) N1-cyclopropyl-5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarbox-amide;

(87) N4-(4-(1-(cyclopropylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;

25

(88) N1-cyclopropyl-5-(2-((pyrrolidin-1-

- ylcarbonyl) amino) -4-pyridyl) oxy-1H-1-indolecarboxamide;
- (89) N1-cyclopropyl-5-(2-(piperidin-1-ylcarbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;
- (90) N4-(4-(1-(cyclopentylamino) carbonyl-1H-5-indolyl) oxy-2-pyridyl) -4-morpholinecarboxamide;
- 5 (91) 5-(2-(((4-hydroxypiperidin-1-yl) carbonyl) amino) pyridin-4-yloxy) -1H-indole-1-carboxylic acid cyclopentylamide;
- (92) N1-cyclopentyl-5-(2-(((4-(pyrrolidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy) -1H-1-indolecarboxamide;
- 10 (93) N1-(3-methylbutyl) -5-(2-(((4-(pyrrolidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy) -1H-1-indolecarboxamide;
- (94) N1-(3-methylbutyl) -5-(2-(((4-(hydroxypiperidino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;
- 15 (95) N4-(4-(1-((3-methylbutyl) amino) carbonyl-1H-5-indolyl) oxy-2-pyridyl) -4-morpholinecarboxamide;
- (96) N1-(1-ethylpropyl) -5-(2-(((4-(pyrrolidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy) -1H-1-indolecarboxamide;
- 20 (97) N1-(1-ethylpropyl) -5-(2-(((4-(hydroxypiperidino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;
- 25 (98) N4-(4-(1-((1-ethylpropyl) amino) carbonyl-1H-5-

- indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (99) N4-(4-(1-((1-pentyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (100) N1-(1-pentyl)-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (101) N1-(1-pentyl)-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (102) N1-methyl-3-chloro-5-(2-((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (103) N1-methyl-3-chloro-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (104) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (105) N1-methyl-3-chloro-5-(2-((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (106) N1-methyl-3-chloro-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (107) N4-(4-(3-chloro-1-(methylanino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;

- (108) N1-methyl-3-chloro-5-(2-((4-(ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (109) N1-ethyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 5 (110) N1-ethyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (111) N1-ethyl-3-chloro-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 10 (112) N1,3-dimethyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (113) N1,3-dimethyl-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 15 (114) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;
- 20 (115) N1-cyclopropyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;
- (116) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 25 (117) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-

pyridyl)oxy-1H-1-indolecarboxamide;

(118) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(119) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(120) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(121) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

(122) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(123) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(124) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(125) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and

(126) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

32. A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group

consisting of

- (1) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 5 (2) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (3) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 10 (4) N1-methyl-5-(2-((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (5) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 15 (6) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (7) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- 20 (8) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (9) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 25 (10) N1-methyl-5-(2-((4-

- hydroxypiperidino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;
- (11) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;
- 5 (12) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl) carbonyl) amino) pyridin-4-yloxy) -1H-indole-1-carboxylic acid methylamide;
- (13) 5-(2-(((4-(3-methylcarbamoylpropyl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy) -1H-indole-1-carboxylic acid methylamide;
- 10 (14) 5-(2-(((4-(3-carbamoylpropyl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy) -1H-indole-1-carboxylic acid methylamide;
- (15) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy) -1H-1-indolecarboxamide;
- 15 (16) N1-methyl-5-(2-(((4-(piperidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy) -1H-1-indolecarboxamide;
- 20 (17) N1-methyl-5-(2-((3-methylsulfonylpropylamino) carbonyl) amino-4-pyridyl) oxy-1H-1-indolecarboxamide;
- (18) N4-(4-(1-(methylamino) carbonyl-1H-5-indolyl) oxy-2-pyridyl) -4-morpholinecarboxamide;
- 25 (19) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl) piperidin-1-yl) carbonyl) amino) pyridin-4-yloxy) -1H-1-



- indolecarboxamide;
- (20) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- 5 (21) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (22) N1-ethyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;
- (23) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;
- 10 (24) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (25) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 15 (26) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (27) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 20 (28) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (29) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (30) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- 25 (31) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-

4-pyridyl)oxy-1H-1-indolecarboxamide;

(32) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

5 (33) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

(34) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

10 (35) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and

(36) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

33. A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

20 (1) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

(2) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

25 (3) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-

yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-

indolecarboxamide;

(4) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-

5 indolecarboxamide; and

(5) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide.

34. A pharmaceutical composition comprising a compound according to any of claims 1 to 33 and a pharmaceutical adjuvant.

35. A prophylactic or therapeutic agent for a disease for which angiogenesis inhibition is effective, comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

36. An angiogenesis inhibitor comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

37. An antitumor agent comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

38. An antitumor agent according to claim 37, wherein the tumor is a pancreatic cancer, a gastric cancer, a colon cancer, a breast cancer, a prostate cancer, a lung cancer, a renal cancer, a brain tumor, a

blood cancer or an ovarian cancer.

39. A therapeutic agent for hemangioma comprising as an active ingredient , a compound according to any of claims 1 to 33, a salt thereof, or  
5 a hydrate of the foregoing.

40. A cancer metastasis inhibitor comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

10 41. A therapeutic agent for retinal neovascularization or diabetic retinopathy comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

15 42. A therapeutic agent for an inflammatory disease comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

20 43. A therapeutic agent for an inflammatory disease according to claim 42, wherein the inflammatory disease is deformant arthritis, rheumatoid arthritis, psoriasis or delayed hypersensitivity reaction.

25 44. A therapeutic agent for atherosclerosis comprising as an active ingredient, a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

45. A prophylactic or therapeutic method for a disease for which angiogenesis inhibition is effective, comprising administering to a patient, a pharmacologically effective dose of a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing.

46. Use of a compound according to any of claims 1 to 33, a salt thereof, or a hydrate of the foregoing for the manufacture of a prophylactic or therapeutic agent for a disease for which angiogenesis inhibition is effective.